

Searching for **templates list transform and report**.

Restrict to: [Header](#) [Title](#) [Order by:](#) [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#)
[Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

No documents match Boolean query. Trying non-Boolean relevance query.

500 documents found. Order: relevance to query.

[Automatic Extraction and Measurement of Leukocyte Motion in.. - Yoshinobu Satoy](#) (Correct)

(a) First frame: This image also shows five **templates** used for temporal registration described in a spatiotemporal image, and F (u v) its Fourier transform. Let F 01 f1g represent the Fourier inverse
www.med.osaka-u.ac.jp/pub/general/image/kawazoe/kinougazou/paper/leukocyte.ps.gz

[Efficient Goal Directed Bottom-up Evaluation of Logic Programs - Codish \(1998\)](#) (Correct) (5 citations)

of algorithms: Generalized Magic-sets [4]Magic Templates [21]Alexander Templates [25]Using this bottomup evaluation strategy with a Magic-set transformation, the evaluation strategy is specialized [24]Similar experiences have been reported in the area of program analysis where attempts
ftp.cs.bgu.ac.il/pub/people/mcodish/fastmagic.ps.gz

[Template-based Information Extraction from Tree-structured HTML.. - Yih \(1997\)](#) (Correct)

Template-based Information Extraction from
mobile.csie.ntu.edu.tw/~r4526048/Documents/thesis.ps.gz

[Shape-based Tracking and Analysis of the Aorta in Cardiac MR ... - Rueckert, Burger \(1996\)](#) (Correct)

(1 citation)

Cardiac MR Images Using Geometrically Deformable **Templates** Daniel Rueckert and Peter Burger Imperial which its internal energy is 0. Any non-affine transformation of this equilibrium shape requires a
www-ipg.umd.ac.uk/d.rueckert/publications/conferences/CAR96a/postscript/paper.ps.gz

[The Representation and Recognition of Action Using Temporal.. - Davis, Bobick \(1997\)](#) (Correct) (59 citations)

and Recognition of Action Using Temporal **Templates** James W. Davis and Aaron F. Bobick MIT Media Laboratory Perceptual Computing Section Technical Report No. 402 Appears in: IEEE Conference on Computer 1992. whitechapel.media.mit.edu/pub/tech-reports/TR-402.ps.Z
whitechapel.media.mit.edu/pub/tech-reports/TR-402.ps.Z

[Automating The Subjective Recognition Of 500 Mb.. - Tag.. \(1996\)](#) (Correct) (1 citation)

developed by Bardossy et al (1995)in which "templates" are defined and used for pattern matching. The one **template** was sufficient for those cases. transformed into membership values as defined by a
www.nrlmry.navy.mil/~medex/cwaf-thbkb.ps

[Lip Modeling for Visual Speech Recognition - Ram Rao \(1994\)](#) (Correct) (8 citations)

the best fit model. This is similar to deformable **templates**, but we attempt to perform the minimization in
users.ece.gatech.edu/users/rr/papers/asil94.ps.Z

[Content-Based Retrieval of Music and Audio - Foote \(1997\)](#) (Correct) (39 citations)

to a query sound. Sounds are characterized by "templates" derived from a tree-based vector quantizer by similarity and the results presented as a ranked list as in conventional text retrieval. Section 3.1
 8 The audio waveform, sampled at 16 kHz, is thus transformed into a sequence of 13-dimensional feature
svr-www.eng.cam.ac.uk/~jtf/papers/spie97.ps.gz

[Magic Sets With Full Sharing - Azevedo \(1996\)](#) (Correct) (2 citations)

proposals to more general techniques, e.g. magic **templates** [11]2. Magic Sets &Tabulation In the Magic is a pointer for each magic fact pointing to the list of parameters. Two binary conjunctions between the the EDB: par(a b)par(b c)par(c d)The transformed program according to the standard adornment
www.di.uminho.pt/~pja/ps/sub.ps.gz

[Unknown -](#) (Correct)

to it sometimes yields results. 2.5 Optional **Templates** to Create a Proposal. UNIX Only It is possible From the File menu, select Collate PS. A dialog box lists the forms and allows you to add one or two

<ftp.cs.uiowa.edu/pub/nsf/Software.ps>

Reverse Communication Interface for Linear Algebra.. - Dongarra, Eijkhout.. (1995) (Correct) (3 citations)

Reverse Communication Interface for Linear Algebra **Templates** for Iterative Methods Jack Dongarra of Tennessee May 18, 1995 1 Introduction In this **report** we describe a reverse communication interface for in particular: ffl more comprehensive error **reporting**, ffl examples with different storage <netlib.uow.edu.au/lapack/lawns/lawn99.ps>

Shape Matching by Elastic Deformation - Santini, Sanz, Bimbo (1994) (Correct)

based on elastic deformation of a model or **template**. Deformations of the given **template** are <vision.ucsd.edu/~ssantini/articles/vision/OCR-trep.ps.Z>

Mother of PERL: A Multi-tier Pattern Description Language - Doran, Niv, Baldwin.. (1996) (Correct) (2 citations)

the information necessary to fill a predefined **template** or to populate a database. The process of IE is past participal, properties Property list of discourse entity of BracketsN (is person, is and Mitchell P. Marcus. 1995. Text Chunking using Transformation-Based Learning. In Proceedings of the <www.cis.upenn.edu/~jcreynar/lde97.ps.gz>

ROSA = Reuse of Object-oriented Specifications.. - Tessem.. (1994) (Correct)

uses his capability to do analogical reasoning to **transform** previous solutions to new ones, and thus he is Norway Email: Analogi@ifi.uib.no Issn 0803-6489 Report No. 16 March 1994 Abstract Reuse Of Software projects for reuse in new projects. This **report** sets the context of the project and defines its <www.ifi.uib.no/projects/rosa/.../ref/IFI-16.ps.gz>

Stable Power Domains - Heckmann (1998) (Correct)

P f X in terms of second order predicates, and **transform** it into a filter representation P \Phi X and a shortened and generalized version of the technical **report** [9]It is more general, because the **report** shows **report** [9]It is more general, because the **report** shows P k X PX for a special class of <www.cs.uni-sb.de/RW/users/heckmann/papers/stable.ps.gz>

Note on the Preliminary Version of the Meyer-Muller's.. - Joye, Quisquater (1996) (Correct) (1 citation)

Shortly after, Williams [6] showed how to **transform** the Rabin's function to a one to one. The Groupe Regards Technical Report Cg-1996/2 Ucl Crypto Group Technical Report

Report CG-1996/2 UCL Crypto Group Technical Report Series <www.dice.ucl.ac.be/crypto/> Place du www.dice.ucl.ac.be/crypto/tech_reports/CG1996_2.ps.gz

Decomposition of Representations of CAR Induced by Bogoliubov.. - Böckenhauer (1994) (Correct) (1 citation)

P P1 P2 P3 :We obtain the following **list** of products by using Eqs. 13)14) and (15)P

Fock representation, a non-surjective Bogoliubov **transformation** of CAR leads to a reducible <preprints.cern.ch/archive/electronic/hep-th/9410/9410017.ps.gz>

Testing Simple Hypotheses - Wolpert (1996) (Correct) (2 citations)

S to reflect the strength of the evidence and **reporting** a conditional error probability, given the S that makes the Conditional Frequentist error **reports** identical to Bayesian posterior probabilities of and Pre-exp Freq: If X \geq R, then Reject H0 and **report** error probability ff j P 0 [X \geq R] If X =2 R, <ftp.isds.duke.edu/pub/WorkingPapers/95-10.ps>

Neural Mechanisms Underlying Processing in the Visual Areas of.. - Wallis (1994) (Correct)

from that of the object based 2D **transformable templates** model of Ullman and others. It should not be friends as well as colleagues, I have prepared a **list** of those whom I shall think of in years to come. a system might learn to recognise 'naturally' **transformed** objects, I investigate a model of cortical <ftp.mpi-k-tueb.mpg.de/pub/guy/all.ps.Z>


Multiresolution Analyses And Wavelets For Density.. - Anestis Antoniadis.. (1991) (Correct) (1 citation)

phrases. Probability density functions, wavelet transform, multiresolution analysis, nonparametric Numerical Experiments And The Results Will Be Reported Elsewhere. Wavelets For Density Estimation density. We had to consider larger samples: we **report** below some results for density estimates on <ftp.imag.fr/pub/SMS/density.ps.gz>

[First 20 documents](#) [Next 20](#)

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

CiteSeer.IST - Copyright [Penn State](#) and [NEC](#)



Searching for **templates list and transform w/8 report**.

Restrict to: [Header](#) [Title](#) [Order by:](#) [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#)
[Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

No documents match Boolean query. Trying non-Boolean relevance query.

500 documents found. Order: relevance to query.

[Characterization of Contention in Real Relational Databases - Singhal, Smith \(1994\) \(Correct\)](#)

1. We sort the N lockable items into two sorted lists-one sorted by the frequency of Cursor locks

Relational Databases Vigyan Singh Alan Jay Smith **Report** No. UCB/CSD 94/801 March 21, 1994 Computer control behavior of real workloads. In this **report**, we present a study of three database workloads, ic.eecs.berkeley.edu/pub/Memos_ERL/csd94-801.ps.Z

[Units Of Dialogue Management: An Example - Heisterkamp, McGlashan \(1996\) \(Correct\) \(4 citations\)](#)

the contextual interpretation can forward a **list** of possible interpretations. So far, we have not

Technischer Bericht F3-95-014 (Internal report) 16. Wachtel, T. assumed authorship) 1995)

www.sics.se/~scott/papers/icslp96.ps

[Run-Time Parallelization Of Irregular Doacross Loops - Jeyaraman, Krothapalli... \(1996\) \(Correct\)](#)

The inspector also builds an array L of **linked lists**, where L[j] contains a **list** of those iterations into subsets called wavefronts. The executor is a **transformed** version of the source code loop structure ftp.csd.uwo.ca/pub/mwg/doacross.ps

[Future Research Directions In Problem Solving.. - Galloopoulos, Houstis.. \(1991\) \(Correct\) \(3 citations\)](#)

mathematics, and scientific software. The **reports** listed below provide the background for the present using a mouse)to use symbolic processing to **transform** it from nonlinear to linear form to discretize

Report of a Workshop on Research Directions in

polaris.cs.uiuc.edu/reports/1259.ps.gz

[Adaptive Wavelet Estimation: A Block Thresholding And Oracle.. - Cai \(1998\) \(Correct\) \(9 citations\)](#)

an associated exact orthogonal Discrete Wavelet **Transform** (DWT) that **transforms** sampled data into wavelet the same results. For the reasons of space, we **report** in Table 1 only the numerical results for SNR = compactly supported wavelet Symmlet 8. Table 1 **reports** the average squared error over 20 replications www.stat.purdue.edu/people/homepages/tcai/paper/block-oracle.ps

[Motion Estimation Using Complex Wavelets - Magarey, Kingsbury \(1995\) \(Correct\) \(9 citations\)](#)

a full density motion field. The table below, which **lists** error angles as mean \Sigma standard deviation, digital video. A complexvalued Discrete Wavelet **Transform** is used to decompose each frame into a estimation using complex wavelets. **Technical Report** TR-226, Cambridge University Engineering www.cssip.edu.au/~jfam/papers/icassp96.ps.Z

[Automatic Differentiation Bibliography - Corliss \(1991\) \(Correct\) \(1 citation\)](#)

for partial derivatives of functions using **transformations** of a graph, **Transactions of Information derivative generator**. Computing Science **Technical Report** No. 28, Bell Telephone Laboratories, Murray Hill, plus compiler of differentiable expressions, **tech. report**, Mathematics Research Center, University of info.mcs.anl.gov/pub/tech_reports/reports/TM167.ps.Z

[Evaluation of EDPEPPS Prototype Toolset - Zemerly, Justo, al. \(Correct\)](#)

: 11 4 Summary 14 A Listings of the IDD Tasks Files 16 A.1 Listing of

can experiment with the toolset starting from the **transformed** design rather than designing the application

Evaluation of Portable Parallel Software Report Number :EDPEPPS/38 Deliverable Number :7.1.2

www.cpc.wmin.ac.uk/~edpepps/reports/edpepps38.ps.gz

[COMPTEL Observations of the Crab and Vela Pulsars - Bennett Aarts \(Correct\)](#)

(1991)period folding of the event arrival times **transformed** to the solar system barycentre is performed

with the variation in spectral slope for Peak-2 as **reported** by EGRET at higher energies. Note that the

www.gro.unh.edu/users/mmcconne/papers/bennett_aas_v97_p317.ps

Validation Of The Spalart-Allmaras Turbulence.. - Paciorri.. (1997) (Correct)

about the Spalart and Allmaras model are **reported** in 4 .3. Implementation The model has been of the turbulent model in the VKI-MB code are **reported** in 8 .4. Results 4.1 Boundary layer AEows To AEow conditions and other test case parameters are **reported** in the table 2. Table 2: Hollow-cylinder <ftp.vki.ac.be/pub/publications/96-97/RE/1997-33.ps.gz>

A Group-Theoretic Framework for the Construction.. - Calderbank.. (1997) (Correct) (4 citations)

are labeled "3)in Table I. 6. A table Table I lists the parameters of the packings constructed in group O =O(V R)For a b 2 U we define **transformations** X(a) 2 O, Y (b) 2 O by X(a) e u le ua www.research.att.com/~trmaster./TRs/97/97.15/97.15.1.body.ps

The Luttinger-Schwinger Model - Grosse, Langmann, Raschhofer (1996) (Correct)

and show how the existence of large gauge **transformations** implies a fermion condensate in all mpej.unige.ch/mp_arc/c/96/96-447.ps.gz

Model-Based Neural Networks For Invariant Pattern Recognition - Squire (1996) (Correct) (1 citation)

. 23 2.3.3 Filters Based On Multiple Templates .25 2.4 Parts
.157 Bibliography List Of Figures VII List Of Figures 1.1 A Classical
have responses which are invariant to specified **transformations** of the input data. Such networks can be cuiwww.unige.ch/~squire/publications/thesis/preamble.ps.gz

How to Strengthen DES Using Existing Hardware - Biham, Biryukov (1994) (Correct) (14 citations)

with the same highest probability are **listed** separately. The italicized digits specify active The concept of key-dependent invariant S-box **transformation** was introduced. We showed several ways to (DES) and its Strength Against Attacks, technical report, IBM Thomas J. Watson Research Center, RC 18613 www.info-sec.com/crypto/./crypto/CS0816.ps.gz

Computational Methods for the Design and Control.. - Böhringer.. (Correct)

that perform cyclic, gaitlike motions. We **report** on manipulation experiments in which the tasks of methods for their design and control. This paper **reports** on progress towards computational MEMS, by can be generated using very simple fields. We **report** on our experiments in implementing this theory simon.cs.cornell.edu/Info/People/brd/CSE/cse97.ps.gz

Possessive Affixes and Complement Composition - Kolliaou (Correct)

are defined as having their argument structure **list** correspond to the concatenation of their valence All Remaining Errors Are My Own. The Research Reported Here Was Supported By Eu Tmr Grant No. grid.let.rug.nl/~kersten/kolliaou.ps

Performance Evaluation and Modeling of MPI Communications .. - Folino, Spezzano, Talia (Correct)

Passing Performance on Various Computers"Tech. Report UT/CS-95-229, Computer Science Dept.University isi-cnr.deis.unicat.it:1080/~talia/hpcn98.ps

Applying ILP-based Techniques to Natural Language Information .. - Califf, Mooney (1997) (Correct) (1 citation)

only a corpus of documents paired with filled **templates**, Rapier Robust Automated Production of extracted is described by a **template** specifying a **list** of slots to be filled. For example, Figure 1 shows a single number measurement for IE systems. We **report** the precision, recall, and F-measure with www.cs.kuleuven.ac.be/~lucdr/filp-papers/calliff.ps

Gardens' Autobahn: Efficient and Safe Streaming of Data .. - Szyperski, Roe, Chan.. (Correct)

Abstraction Called Packers. For Example, Type **List** =Pointer To Record Next: **List** End Global array-shaped data. On-the-fly reshaping can **transform** the communicated data at little extra cost into for complex distributed data structures. Technical Report CR-TR-3438, University of Maryland: Department of www.plasrc.qut.edu.au/Gardens/pub/ACAC98.ps.gz


A Path Selection Method in ATM using Pre-Computation - Olivier Crochat (1995) (Correct) (5 citations)

method is based on an algorithm that pre-computes a **list** of routes for each node in the network. We then Method in ATM using Pre-Computation. Technical Report TR-95/128, LRC-DI, EPFL, Lausanne, Switzerland, lrcwww.epfl.ch/PS_files/TR95_128.ps.gz

[First 20 documents](#) [Next 20](#)

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

CiteSeer.IST - Copyright [Penn State](#) and [NEC](#)

[Sign in](#)
[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#)^{New!} [more »](#)

+"templates list" +transform +report

[Search](#)[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about 542 for **+"templates list" +transform +report**. (0.41 seconds)

[Microsoft Visio 2002 Resource Kit: Chapter 11 - Corporate Error ...](#)

... then confirming that Office10.adm is included in the Current Policy **Templates list**. ... If the location is not valid, DW.exe will not **report** a crash. ...

www.microsoft.com/technet/prodtechnol/Visio/visio2002/reskit/CH11.mspx - 55k - [Cached](#) - [Similar pages](#)

[Microsoft - Reporting Office Application Crashes](#)

... that Office10.adm is included in the Current Policy **Templates list**. ... be deployed to users through a **transform** (MST file ... not valid, DW.exe will not **report** a crash ...

www.microsoft.com/resources/documentation/office/xp/all/reskit/en-us/adma05.mspx - 39k - Supplemental Result - [Cached](#) - [Similar pages](#)

[Altova StyleVision XSLT Design for Word/RTF](#)

It's easy to **transform** XML and database data into Word documents or RTF (Rich ... NEW Read the InfoTrends/CAP Ventures **report**, XSLT 2.0: Understanding the ...

www.altova.com/features_XSLT_RTF_s.html - 31k - [Cached](#) - [Similar pages](#)

[\[PDF\] White Paper](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

ing a database **Report** with output in HTML, Word/RTF, and PDF as easy as. designing any

SPS. ... StyleVision 2005 populates the global **templates list** ...

www.altova.com/whitepapers/stylevision.pdf - Supplemental Result - [Similar pages](#)

[XF.NET SDK Tutorial and QuickStarts](#)

Demonstrates how to **transform** XML using a stylesheet and then feed this input ... n"); }
catch (Exception e) { // **Report** any errors that may occur Console. ...

www.ecrion.com/XF/TechnicalResources/XFNNETTutorial.aspx - 81k - Nov 15, 2005 -

[Cached](#) - [Similar pages](#)

[Training Tools 4.0](#)

... list. ... written comments parser in Documentation that the file." edited **report** is is ...

Three programs within this suite can **transform** a so-so presentation into an ...

www.fxstyle.com/email-information/desc/indexN7831.html - 65k - Supplemental Result -

[Cached](#) - [Similar pages](#)

[incorrect-icon-loading - kde.me.uk](#)

find name of icon for "Object Frame > **Report** Template Generator" ... find icon names for "Transform", "Close Path" kompare - "blend url with diff" ...

www.kde.me.uk/index.php?page=incorrect-icon-loading - 12k - [Cached](#) - [Similar pages](#)

[Conformance Assessment of HomeSite 4.0.1](#)

4.5 Allow the author to **transform** presentation markup or misused markup ... edit, and remove abbreviations from the "Code **Templates**" list by invoking the ...

www.w3.org/WAI/AU/reviews/homesite - 59k - [Cached](#) - [Similar pages](#)

[Swish-Tutorials :: Help Forum - Downloads - Plugins - Templates ...](#)

... Swish-Tutorials :: Help Forum - Downloads - Plugins - [Templates](#) - List of Topics (click here to view the list with ... [transform](#) image scroller and images, ... [Report](#), ...)

www.swish-tutorials.com/forum/sitemap.php?limit=NO& - 101k - Supplemental Result - [Cached](#) - [Similar pages](#)

Using Non-IOS Configuration Templates

Ethernet encapsulation [transform](#) ... enable—Use this setting to delay sending a stop [report](#) to the server when a client device disassociates from the access ...

www.cisco.com/univercd/cc/td/doc/product/

rtrmgmt/cwparent/cw_1105/wlse/2_9/u_gd/temppnon.htm - 499k - [Cached](#) - [Similar pages](#)

Google ►
Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

 Google Desktop Search  9:30 AM
Free! Instantly find your email, files, media and web history. [Download now.](#)

[+"templates list" +transform +report](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#)^{New!} [more »](#)+"~templates ~list" +~transform +~report +~guide +~task +~audit [Advanced Search](#) [Preferences](#)**Web Results 1 - 10 of about 1,190 for +"~templates ~list" +~transform +~report +~guide +~task +~audit. (0****Microsoft Visio 2002 Resource Kit: Chapter 11 - Corporate Error ...**

Note To properly configure permissions and **security** settings, ... Perhaps one of the easiest **tasks** to perform in Corporate Error Reporting is to **report** ...

www.microsoft.com/technet/prodtechnol/Visio/visio2002/reskit/CH11.mspx - 55k - [Cached](#) - [Similar pages](#)

Sponsored Links**Report Audit**

Free Report Audit info.
Find what you're looking for!
www.plexxa.com

Audit Report

Audit Report
Start your search here.
zimply.com

Audit Reports

Legal Information on **Audit Reports**
Consequences of the **Audit**
www.legal-term.com

Microsoft - Reporting Office Application Crashes

... Office10.adm is included in the Current Policy Templates list. ... be deployed to users through a **transform** (MST file ... **report**, you can probably just **report** all the ...

www.microsoft.com/resources/documentation/office/xp/all/reskit/en-us/adma05.mspx - 39k - Supplemental Result - [Cached](#) - [Similar pages](#)

phpMySearch manual

It is strongly recommended you change these to maintain **security**. ... To **transform** PDF files into HTML you can use this url: ...

www.desertmuseum.org/search/manual/ - 30k - [Cached](#) - [Similar pages](#)

[PDF] HP OpenView Service Desk 4.5

File Format: PDF/Adobe Acrobat - [View as HTML](#)

guide you can install, configure and perform the various **tasks** available ... will be **reported** and no file will be created. OpenView Operations for ...

ovweb.external.hp.com/ovnsmdps/pdf/sd45_iag_eng.pdf - [Similar pages](#)

[PDF] Wise for Windows Installer Reference Manual

File Format: PDF/Adobe Acrobat - [View as HTML](#)

performing common **tasks**. For details on using **help**, see Check Online ... Windows Installer **transform**, which changes a Windows Installer package at runtime ...

www.altiris.com/docs/support/wise/6.0/WfWI.pdf - [Similar pages](#)

Making the Most of the CLR

Security · SQL Server Profiler · Storage · **Task** Automation and Scripting ... get SQL Server Magazine and get the 69 Top SQL Server **Tips Guide** FREE ...
lists.sqlmag.com/t?ctl=82FE:7B3DB - 103k - Supplemental Result - [Cached](#) - [Similar pages](#)

[PDF] [https://zinc.isc-seo.upenn.edu/wi/OnlineGuides/EN/...](https://zinc.isc-seo.upenn.edu/wi/OnlineGuides/EN/)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Supplemental Result - [Similar pages](#)

User Guide for Resource Manager Essentials 4.0 - Making and ...

1 2) **Transform** system-defined **task**. 1 3) **Crypto Map** system-defined **task**. ... See "SNMP **Security Configuration Task**" to configure the **SNMP security** ...

www.cisco.com/en/US/products/sw/cscowork/ps2073/products_user_guide_chapter09186a0080357772.html - 513k - [Cached](#) - [Similar pages](#)

[PDF] literature.rockwellautomation.com/idc/groups/liter...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Supplemental Result - [Similar pages](#)

[PDF] [<oXygen/> User Manual](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)


Populates the **Templates** list to show templates supplied with the <oXygen/> in- ... enabled <oXygen/> will be able to validate and **transform** documents ...

www.oxygenxml.com/doc/oxygenUserGuide-standalone-en.pdf - Nov 14, 2005 -

[Similar pages](#)

Google ►

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)



Free! Instantly find your email, files, media and web history. [Download now.](#)

[+"~templates ~list" +~transform +~re...](#) [Search](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

[Sign in](#)

Web Images Groups News Froogle Local^{New!} more »
 [+~templates ~list" +~transform +~report] Search Advanced Search Preferences

Web

Results 1 - 10 of about 269 for +~templates ~list" +~transform +~report. (0.24 seconds)

Microsoft Visio 2002 Resource Kit: Chapter 11 - Corporate Error ...

With Corporate Error Reporting, administrators can then review the types of program ... that Office10.adm is included in the Current Policy Templates list. ...

www.microsoft.com/technet/prodtechnol/Visio/visio2002/reskit/CH11.mspx - 55k - [Cached](#) - [Similar pages](#)

Microsoft - Reporting Office Application Crashes

... Office10.adm is included in the Current Policy Templates list. ... be deployed to users through a transform (MST file ... report, you can probably just report all the ...

www.microsoft.com/resources/documentation/office/xp/all/reskit/en-us/adma05.mspx - 39k - Supplemental Result - [Cached](#) - [Similar pages](#)

Altova StyleVision XSLT Design for Word/RTF

Design multiple stylesheets and database reports with ease using Altova ... It's easy to transform XML and database data into Word documents or RTF (Rich ...

www.altova.com/features_XSLT_RTF_s.html - 31k - [Cached](#) - [Similar pages](#)

Altova StyleVision XSL:FO Design

Transformation from an XML format to PDF format is a commonly performed operation ... StyleVision® 2005 populates the global templates list with the global ...

www.altova.com/features_XSLFO_s.html - 28k - Nov 14, 2005 - [Cached](#) - [Similar pages](#)

XF.NET SDK Tutorial and QuickStarts

Send error reports, feature requests, and comments about the SDK ... XF Designer 2004 can be used to test transformation results and preview the generated ...

www.ecrion.com/XF/TechnicalResources/XFNETTutorial.aspx - 81k - Nov 15, 2005 - [Cached](#) - [Similar pages](#)

Conformance Assessment of HomeSite 4.0.1

4.5 Allow the author to transform presentation markup or misused markup [Priority 3]: While ... Needed to use JAWS cursor to review full context of window. ...

www.w3.org/WAI/AU/reviews/homesite - 59k - [Cached](#) - [Similar pages](#)

Amazon.com: XML Bible (2nd Edition): Books

Write an online review and share your thoughts with other customers. ... Everyone keeps talking about how XML will transform the web, but most books are ...

www.amazon.com/exec/obidos/tg/detail/-/0764547607?v=glance - 90k - Nov 15, 2005 - [Cached](#) - [Similar pages](#)

[PDF] Microsoft PowerPoint - 4-SNBA_Client Forum EDS 11 June 2004_final. ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... transformation => Business Sponsor is owner of business case ... 2.7 Reporting 3. Additional Information ... List of tools used 3.3 Templates List of templates used ...

eds.ch/fileadmin/countries/eds_ch/portfolio/air_transportation/SNBA.PDF - Supplemental Result - [Similar pages](#)

[\[PDF\]](#) **Universities**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

universities report plans to initiate email. newsletters. ... already radically transforms the way. you communicate within the office. It's ...


hosting.bronto.com/5002-bd8d5192/ website/documents/papers/brontoineducation.pdf - [Similar pages](#)

[incorrect-icon-loading - kde.me.uk](#)

find name of icon for "Object Frame > Report Template Generator" ... find icon names for "Transform", "Close Path" kompare - "blend url with diff" ...

www.kde.me.uk/index.php?page=incorrect-icon-loading - 12k - [Cached](#) - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)




Free! Instantly find your email, files, media and web history. [Download now.](#)

[+~templates ~list" +~transform +~re](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

[Sign in](#)

Web Images Groups News Froogle Local^{New!} more »
 "~templates ~list" ~transform ~report Search Advanced Search Preferences

WebResults 1 - 10 of about 276 for "~templates ~list" ~transform ~report. (0.34 seconds)

2005-09-02 Danilo Šegan <daniilo@gnome.org> * [login.py](#) ...
 view.py, list.py, **templates/list tmpl**: Added login handling. 2005-09-02
 Danilo Šegan ... xslt/db2html.xsl: **Transform** DocBook subset to HTML. ...
cvs.gnome.org/viewcvs/sarma/ChangeLog?rev=1.16 - 4k - Nov 14, 2005 -
[Cached](#) - [Similar pages](#)

[Microsoft Visio 2002 Resource Kit: Chapter 11 - Corporate Error ...](#)

With Corporate Error **Reporting**, administrators can then **review** the types of program ... that Office10.adm is included in the Current Policy **Templates list** ...

www.microsoft.com/technet/prodtechnol/Visio/visio2002/reskit/CH11.mspx - 55k - [Cached](#) - [Similar pages](#)

[Microsoft - Reporting Office Application Crashes](#)

... adm is included in the Current Policy **Templates list**. 3. ...
 entries vital to controlling the **reporting** of crash ... be deployed to users through a **transform** (MST file ...
www.microsoft.com/resources/documentation/office/xp/all/reskit/en-us/adma05.mspx - 39k - Supplemental Result
 - [Cached](#) - [Similar pages](#)

[Altova StyleVision XSLT Design for Word/RTF](#)

Design multiple stylesheets and database **reports** with ease using Altova ... It's easy to **transform** XML and database data into Word documents or RTF (Rich ...
www.altova.com/features_XSLT_RTF_s.html - 31k - [Cached](#) - [Similar pages](#)

[Altova StyleVision XSL:FO Design](#)

Transformation from an XML format to PDF format is a commonly performed operation ...
 StyleVision® 2005 populates the global **templates list** with the global ...
www.altova.com/features_XSLFO_s.html - 28k - Nov 14, 2005 - [Cached](#) - [Similar pages](#)

[XF.NET SDK Tutorial and QuickStarts](#)

Send error **reports**, feature requests, and comments about the SDK ... XF Designer 2004 can be used to test **transformation** results and preview the generated ...
www.ecrion.com/XF/TechnicalResources/XFNETTutorial.aspx - 81k - Nov 15, 2005 -
[Cached](#) - [Similar pages](#)

[Conformance Assessment of HomeSite 4.0.1](#)

4.5 Allow the author to **transform** presentation markup or misused markup [Priority 3]:
 While ... Needed to use JAWS cursor to **review** full context of window. ...
www.w3.org/WAI/AU/reviews/homesite - 59k - [Cached](#) - [Similar pages](#)

[\[PDF\] Microsoft PowerPoint - 4-SNBA_Client Forum EDS 11 June 2004_final. ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 ... **transformation** => Business Sponsor is owner of business case ... 2.7 **Reporting** 3.
 Additional Information ... List of tools used 3.3 **Templates List** of templates used ...
eds.ch/fileadmin/countries/eds_ch/portfolio/air_transportation/SNBA.PDF - Supplemental Result - [Similar pages](#)

Amazon.com: XML Bible (2nd Edition): Books

Write an online **review** and share your thoughts with other customers. ... Everyone keeps talking about how XML will **transform** the web, but most books are ...

www.amazon.com/exec/obidos/tg/detail/-/0764547607?v=glance - 90k - Nov 15, 2005 -


[Cached](#) - [Similar pages](#)

phpMySearch manual

To **transform** PDF files into HTML you can use this url: ... After this, you can decide how many outputs of your **statistics** you'd like to have shown into the ...

www.desertmuseum.org/search/manual/ - 30k - [Cached](#) - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)



Free! Instantly find your email, files, media and web history. [Download now.](#)

["~templates ~list" ~transform ~rep](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)
Search: The ACM Digital Library The Guide

 +"~templates ~list" +~transform +~report


THE ACM DIGITAL LIBRARY

[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Terms used [~templates](#) [~list](#) [~transform](#) [~report](#)

Found 10 of 166,357

Sort results by relevance

Display results expanded form

Save results to a Binder
 [Search Tips](#)
 Open results in a new window

[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Results 1 - 10 of 10

Relevance scale

1 [Statistical and learning methods I: A report of recent progress in transformation-based error-driven learning](#)

Eric Brill

March 1994 **Proceedings of the workshop on Human Language Technology HLT '94****Publisher:** Association for Computational LinguisticsFull text available: [pdf\(534.46 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#)

Most recent research in trainable part of speech taggers has explored stochastic tagging. While these taggers obtain high accuracy, linguistic information is captured indirectly, typically in tens of thousands of lexical and contextual probabilities. In [Brill 92], a trainable rule-based tagger was described that obtained performance comparable to that of stochastic taggers, but captured relevant linguistic information in a small number of simple non-stochastic rules. In this paper, we describe ...

2 [Transformation-based error-driven learning and natural language processing: a case study in part-of-speech tagging](#)

Eric Brill

December 1995 **Computational Linguistics**, Volume 21 Issue 4**Publisher:** MIT PressFull text available: [pdf\(1.43 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)
[Publisher Site](#)

Recently, there has been a rebirth of empiricism in the field of natural language processing. Manual encoding of linguistic information is being challenged by automated corpus-based learning as a method of providing a natural language processing system with linguistic knowledge. Although corpus-based approaches have been successful in many different areas of natural language processing, it is often the case that these methods capture the linguistic information they are modelling indirectly in a ...

3 [Beyond schema evolution to database reorganization](#)

Barbara Staudt Lerner, A. Nico Habermann

September 1990 **ACM SIGPLAN Notices , Proceedings of the European conference on object-oriented programming on Object-oriented programming systems, languages, and applications OOPSLA/ECOOP '90**, Volume 25 Issue 10**Publisher:** ACM PressFull text available: [pdf\(979.63 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index](#)

terms

While the contents of databases can be easily changed, their organization is typically extremely rigid. Some databases relax the rigidity of database organization somewhat by supporting simple changes to individual schemas. As described in this paper, OTGen supports not only more complex schema changes, but also database reorganization. A database administrator uses a declarative notation to describe mappings between objects created with old versions of schemas and their corresponding repre ...

4 XML query forms (XQForms): declarative specification of XML query interfaces

Michalis Petropoulos, Vasilis Vassalos, Yannis Papakonstantinou

April 2001 **Proceedings of the 10th international conference on World Wide Web**

Publisher: ACM Press

Full text available: [pdf\(515.35 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: XML, XML query language, XSL, query forms & reports

5 System descriptions: New York University: description of the PROTEUS system as used for MUC-3

Ralph Grishman, John Sterling, Catherine Macleod

May 1991 **Proceedings of the 3rd conference on Message understanding MUC3 '91**

Publisher: Association for Computational Linguistics

Full text available: [pdf\(442.98 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#)

The PROTEUS system which we have used for MUC-3 has three main components: a syntactic analyzer, a semantic analyzer, and a template generator.

6 A law-based approach to object-oriented programming

Naftaly H. Minsky, David Rozenshtein

December 1987 **ACM SIGPLAN Notices , Conference proceedings on Object-oriented programming systems, languages and applications OOPSLA '87**, Volume 22 Issue 12

Publisher: ACM Press

Full text available: [pdf\(1.07 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The central idea behind this paper is that the discipline governing the exchange of messages between objects should be specifiable by the programmer in the form of an explicit law of the system. We show how, starting from a very primitive foundation, which presumes neither encapsulation nor inheritance, one can establish various forms of both, as well as other useful disciplines, simply by means of appropriate laws.

7 PYTHIA-II: a knowledge/database system for managing performance data and recommending scientific software

Elias N. Houstis, Ann C. Catlin, John R. Rice, Vassilios S. Verykios, Naren Ramakrishnan, Catherine E. Houstis

June 2000 **ACM Transactions on Mathematical Software (TOMS)**, Volume 26 Issue 2

Publisher: ACM Press

Full text available: [pdf\(796.18 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Often scientists need to locate appropriate software for their problems and then select from among many alternatives. We have previously proposed an approach for dealing with this task by processing performance data of the targeted software. This approach has

been tested using a customized implementation referred to as PYTHIA. This experience made us realize the complexity of the algorithmic discovery of knowledge from performance data and of the management of these data together with the d ...

Keywords: data mining, inductive logic programming, knowledge discovery in databases, knowledge-based systems, performance evaluation, recommender systems, scientific software

8 [A tool framework for static and dynamic analysis of object-oriented software with templates](#)



Kathleen A. Lindlan, Janice Cuny, Allen D. Malony, Sameer Shende, Forschungszentrum Juelich, Reid Rivenburgh, Craig Rasmussen, Bernd Mohr

November 2000 **Proceedings of the 2000 ACM/IEEE conference on Supercomputing (CDROM)**

Publisher: IEEE Computer Society

Full text available: [pdf\(2.67 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)
[Publisher Site](#)

The developers of high-performance scientific applications often work in complex computing environments that place heavy demands on program analysis tools. The developers need tools that interoperate, are portable across machine architectures, and provide source-level feedback. In this paper, we describe a tool framework, the Program Database Toolkit (PDT), that supports the development of program analysis tools meeting these requirements. PDT uses compile-time information to create a comp ...

9 [Synthesis of custom processors based on extensible platforms](#)



Fei Sun, Srivaths Ravi, Anand Raghunathan, Niraj K. Jha

November 2002 **Proceedings of the 2002 IEEE/ACM international conference on Computer-aided design**

Publisher: ACM Press

Full text available: [pdf\(328.04 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Efficiency and flexibility are critical, but often conflicting, design goals in embedded system design. The recent emergence of extensible processors promises a favorable tradeoff between efficiency and flexibility, while keeping design turnaround times short. Current extensible processor design flows automate several tedious tasks, but typically require designers to manually select the parts of the program that are to be implemented as custom instructions. In this work, we describe an automatic ...

10 [A video retrieval and sequencing system](#)



Tat-Seng Chua, Li-Qun Ruan

October 1995 **ACM Transactions on Information Systems (TOIS)**, Volume 13 Issue 4

Publisher: ACM Press

Full text available: [pdf\(3.20 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Video is an effective medium for capturing the events in the real world around us, and a vast amount of video materials exists, covering a wide range of applications. However, widespread use of video in computer applications is often impeded by the lack of effective tools to manage video information systematically. This article discusses the design and implementation of a frame-based video retrieval and sequencing system (VRSS). The system is designed to support the entire process of video ...

Keywords: cinematic rules, frame-based modeling, multimedia, video retrieval, virtual editing

Results 1 - 10 of 10

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results[BROWSE](#)[SEARCH](#)[IEEE Xplore GUIDE](#)

Results for "((templates list<and>report<and>transform)<in>metadata)"



Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance in Descending** order.**» Search Options**[View Session History](#)**Modify Search**[New Search](#) Check to search only within this results set**Display Format:** **Citation** **Citation & Abstract****» Key****IEEE JNL** IEEE Journal or Magazine**IEE JNL** IEE Journal or Magazine**IEEE CNF** IEEE Conference Proceeding**IEE CNF** IEE Conference Proceeding**IEEE STD** IEEE Standard**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2005 IEEE -



Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	864658	transform\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 08:49
L3	336728	report\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 08:49
L4	148626	templat\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 08:49
L5	98	2 same L3 same L4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 08:53
L6	22	US-6502102-\$.DID. OR US-5842193-\$.DID. OR US-6477575-\$.DID. OR US-6851108-\$.DID. OR US-5644686-\$.DID. OR US-6574621-\$.DID. OR US-6360332-\$.DID. OR US-6758683-\$.DID. OR US-6778979-\$.DID. OR US-6732090-\$.DID. OR US-6148402-\$.DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 08:51
L7	6	(us-20020080938-A1 us-20020095399-A1 us-20020013782-A1).did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 08:52
L8	14	6 xor 7 6 and 7	US-PGPUB; USPAT	OR	ON	2005/11/16 08:52
L9	0	5 and 8	US-PGPUB; USPAT	OR	ON	2005/11/16 08:53
L10	7	2 and 8	US-PGPUB; USPAT	OR	ON	2005/11/16 08:53
L11	22269	2 and L3 and L4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 09:15
L12	3	11 and 8	US-PGPUB; USPAT	OR	ON	2005/11/16 08:53

L13	45	5 and @ad<="20010510"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 09:15
L14	21	2 with L3 with L4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 09:15
L15	3	14 and @ad<="20010510"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 09:15